

AD-A060 030 NAVAL POSTGRADUATE SCHOOL MONTEREY CALIF

COMPILATION OF ABSTRACTS OF DISSERTATIONS, THESES, AND RESEARCH--ETC (U)
JUN 78 W M TOLLES, J R BORSTING

NPS-012-78-005PR


NL

AD
A060030



1 of 4
AD
AO60030

100 pages of document text, mostly redacted or low contrast.



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A060030

NPS-012-78-005PR

② LEVEL

4060029
III
2


COMPILATION OF ABSTRACTS
OF DISSERTATIONS, THESES, AND
RESEARCH PAPERS SUBMITTED BY
CANDIDATES FOR DEGREES

June 1978

Report for the Period
1 January 1977 to 30 September 1977

Approved for public release;
distribution unlimited

DDC FILE COPY



NAVAL POSTGRADUATE SCHOOL, MONTEREY, CALIFORNIA

NAVAL POSTGRADUATE SCHOOL
Monterey, California


Rear Admiral T. F. Dedman, USN
Superintendent


Jack R. Borsting
Provost

The work reported herein was supported by various Department of Defense activities and the National Science Foundation.

Reproduction of all or part of this report is authorized.

This report was prepared by:


William M. Tolles
Acting Dean of Research


Jack R. Borsting
Provost

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 14 NPS-12-78-105PR	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 6 COMPILATION OF ABSTRACTS OF DISSERTATIONS, THESES, AND RESEARCH PAPERS SUBMITTED BY CANDIDATES FOR DEGREES (1 JAN - 30 SEPT 77) 1 January-30 September 1977, Naval Postgraduate School Monterey, CA		5. TYPE OF REPORT & PERIOD COVERED Compilation 1 Jan - 30 Sep 1977
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA		6. PERFORMING ORG. REPORT NUMBER
11. CONTROLLING OFFICE NAME AND ADDRESS 10 William M./Tolles Jack R./Borsting Controlling Office		8. CONTRACT OR GRANT NUMBER(s) 12 361p.
12. REPORT DATE Jun 1978		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
13. NUMBER OF PAGES 351		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) DDC RECEIVED OCT 18 1978 RECEIVED B		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Abstracts, Theses, Research Papers, Dissertations, Naval Postgraduate School		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This publication contains the abstracts of dissertations, theses and research papers submitted during the period 1 Jan - 30 Sep 77 by candidates for Masters and Doctors degrees at the Naval Postgraduate School, Monterey, CA. 257 450 Gen		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)


NAVAL POSTGRADUATE SCHOOL
Monterey, California

3 July 1978

At the Naval Postgraduate School most of the curricula in which advanced degrees are offered require the submission of an acceptable dissertation, thesis or research paper.

This publication contains abstracts of theses and research papers submitted for Aeronautical Engineer, Electrical Engineer, Mechanical Engineer and Master of Science degrees during the period 1 January 1977 - 30 September 1977. Abstracts of dissertations submitted for Doctors' degrees awarded during this period are also included.

This compilation of theses is published in order that those interested in the fields represented may have an opportunity to become acquainted with the nature and substance of the student research that has been undertaken. Copies of these are obtainable by those wishing more detailed information. The procedures for doing so are described on the following page.


WILLIAM M. TOLLES
Acting Dean of Research

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral T. F. Dedman
Superintendent

Jack R. Borsting
Provost

PROCEDURES FOR REQUESTING
DISSERTATIONS, THESES AND RESEARCH PAPERS

Copies of publications with unlimited distribution may
be obtained from the:

National Technical Information Service
Operations Division
Springfield, Virginia 22151

or the

Defense Documentation Center
Cameron Station
Alexandria, Virginia 22314

in accordance with their sales and distribution program. A
given document may be obtained by submitting a bibliographic
citation including: (1) author, (2) title, (3) publication
date, and (4) reference to document as a Naval Postgraduate
School thesis.

General inquiries concerning student and faculty research
at the Naval Postgraduate School should be addressed to:

Superintendent
Naval Postgraduate School
(Attn: Research Administration, Code 012A)
Monterey, CA 93940

TABLE OF CONTENTS

DOCTOR OF ENGINEERING

		<u>PAGE</u>
Bell, E.L., LT, USN	Optimal Bayesian Estimation of the State of a Probabilistically Mapped Memory-Conditional Markov Process with Application to Manual Morse Decoding	1

DOCTOR OF PHILOSOPHY

Campbell, D.R., LT USN	Properties of Residual Mixing Distributions Resulting from Arbitrary Mixtures of Exponential Life Distributions	2
Finnerty, J.D.	A Dynamic Stochastic Model of Corporate Behavior Over the Business Cycle with a Special Application to the Major U.S. Military Airframe Builders	3
Humfeld, G.R.	Numerical Methods for Solution of Queuing-Network Problems with Applications to Models of Multi-programmed Computer System	4
Shumaker, R.H., CAPT, USN	Maneuvering Strategies for Optimal Evasion of a Proportionally Navigated Missile	5
Strada, J.A., LCDR, USN	Unsteady Supersonic Cascade Theory: Linear and Nonlinear Considerations	6
Tupaz, J.B.,	Barotropic Instability of a Zonally Varying Easterly Jet	7

AERONAUTICAL ENGINEER

Kail, K.A., IV, LT, USN	Unsteady Surface Pressure and Near-Wake Hotwire Measurements of a Circulation Control Airfoil	8
-------------------------	---	---

ELECTRICAL ENGINEER

		<u>PAGE</u>
Bar-Yehoshua, D., LT, Israeli Navy	Two-dimensional Nonrecursive Filter for Estimation and Detection of Targets	9
Belrose, B.G., LT, USN	Investigation of Tantalum Oxide As An Insulator In MIS Structures	10
Elitas, K., LT	A Computer Aided Design of Digital Filters	11

MECHANICAL ENGINEER

do Carmo Durao, M. LT, USN	Investigation of Heat Transfer in Straight and Curved Rectangu- lar Ducts using Liquid Crystals Thermography	12
Harrell, J.P., Jr., LT, USN	Experimentally Determined Effects of Eductor Geometry on the Per- formance of Exhaust Gas Eductors for Gas Turbine Powered Ships	13
Savory, J.R., LT, USN	Scanning Electron Microscope Study of Porous Zinc Battery Electrode Oxidation after Service- Like Exposures in Potassium Hydroxide Electrolyte	14

MASTER OF SCIENCE DEGREES

AERONAUTICAL ENGINEERING

Alfieri, P. A., LT, USN	Lift and Drag Analysis On The Bow Seal Of The Surface Effect Ship Testcraft XR-3	15
Arancibia, P.P., LT, Chilean Navy	Implementation of a Sidelobe Blanking System on the AN/SPC-12 Radar	16
Atkinson, J.S. Jr., LT, USN	A Study of Spectrum Loading and Range-Pair Counting Method Effects on Cumulative Fatigue Damage	17

		<u>PAGE</u>
Beaudet, C.A., LT, USN	EA-6B Mission Planning Program	18
Bentley, R. A., LT, USN	An Investigation of the Recovery Processes in 7075-T651 Aluminum Responsible for a Stress Decay During Dynamic Loading Histories	19
Casko, J. D., LT, USN	A Microprocessor Controlled Automatic Data Logging System (ADL)	20
Chicoine, R. J., LCDR, USN	Temperature Dependence of Stress Concentration Factors in Composite Materials	21
Cline, J.H., LT, USN	A Stability Analysis of the Pro- posed Circulation Control Rotor (CCR) Prototype	22
Eaton, G.A., LCDR, USN	Ballistic Damage of Graphite- Epoxy Plates	23
Englehardt, C.D., LT, USN	Data Acquisition System for Unsteady Aerodynamic Investigation	24
Fetzer, W.W., Jr., LT, USN	Evaluation of and Operational Procedures for a Helicopter Simulation System Utilizing an Integrated Electronic Instrument Display	25
Finch, D.L., LCDR, USN	A Personalized System of Instruction for Aircraft Performance	26
Freedman, R.N., LT, USN	A Study of Pull-Through Failures of Mechanically Fastened Joints	27
Garske, J.C., LT, USN	An Investigation of Methods for Determining Notch Root Stress from Far Field Strain in Notched Flat Plates	28
Heard, C.A., LT, USN	Wind Tunnel Wall Corrections for Arbitrary Planforms and Wind Tunnel Cross-Sections	29
Hewlett, H.W., LCDR, USN	Design, Construction and Testing of a Sub-scale Turbojet Test Cell	30

		<u>PAGE</u>
Krumbholz, K.O., LT, USN	Development of Materials For a New Course in the Funda- mentals of Nonnuclear Aircraft Combat Survivability	31
Lancaster, E.J., LT, USN	Initial Unsteady Aerodynamic Measurements of a Circulation Controlled Airfoil and an Oscillating Flow Wind Tunnel	32
Larson, V.J., LT, USN	Unsteady Effects on the Measure- ment of Total Pressure in Rotating Machines	33
Lashbrook, D.F., LT, USN	Dissection and Analysis of Elec- troencephalograms of Subjects Doing a Simulated Pilot's Task	34
Loiselle, J.W., LT, USN	Generalized Helicopter Rotor Performance Predictions	35
Mady, C.J., Jr., LT, USN	Effect of Configuration Variables on Performance of Solid Fuel Ramjets	36
McIntyre, L.F., LT USN	Investigation of a Linear, Two- Degree-of-Freedom Simulation of the XR-3 Captured Air Bubble (CAB) Craft in the Frequency Domain	37
Milchanowski, M.J., LT, USN	Power-Density Distribution Below the Ocean Surface Due to Incident Laser Radiation	38
Neil, R.D., LT, USN Reserve	A State-of-the-Art Assessment of Air Data Sensors for Naval Aircraft	39
Nichols, R.J., Jr., LT, USN	Time Integration of Unsteady Tran- sonic Flow to a Steady State Solu- tion by the Finite Element Method	40
Pickelsimer, B.M., LT, USN	Data Reduction for the Unsteady Aerodynamic on a Circulation Con- trol Airfoil	41
Pierce, C.J., LCDR, USN	A Mathematical Model for the Long- itudinal Control System of the Space Orbiter	42
Powrie, S.R., LT, USN	Energy Management Display for Air Combat Maneuvering	43

		<u>PAGE</u>
Russell, R.W., LT, USN	Design Study of a Centerplate Mount for Wind Tunnel Models	44
Young, P.D., MAJ, USMC	Wing Rock as a Lateral-Directional Aircraft Limit Cycle Oscillation Induced by Nonlinear Aerodynamics Occuring at High Angle of Attack	45

APPLIED SCIENCE

Goesling, W.H., LCDR, USN	Ballistic Characterization of High Carbon Steel	46
---------------------------	---	----

COMPUTER SCIENCE

Anzelmo, R.H., CAPT, USMC	Emulation of the AN/UYK-20 Tactical Data Computer on the Burroughs D-machine	47
Brown, K.J., CAPT, USMC	A Shared Environment for Micro-Computer System Development	48
Bullock, D.R., LT, USN (See Brown, K.J., CAPT, USMC)		48
Burkhead, F., LCDR, USN	Parallel Processing of Recursive Functions	49
Burns, A.D., LT, USN (See Lough, D.E., LCDR, USN)		67
Cloyes, R.D., Jr., LCDR, USN	A Case Study in Man Machine Conversational Interaction	50
Conley, E.K., LT, USN	The Development of a COBOL "Calculator" for High-Performance Bit-Slice Microprocessors	51
Craig, A.S., CAPT, USN	Micro-Cobol An Implementation of Navy Standard Hypo-Cobol for a Microprocessor-Based Computer System	52

		<u>PAGE</u>
Cuzzocrea, J.L., LT, USN	An Interactive, Incremental Assembly Language Processor for the INTEL 8080	53
Dalton, T.R., CAPT, USN	A Program Development System for the Burroughs D-machine	54
Doyle, P.M., LT, USN	An Adaptation of the Hershey Digitized Character Set for Use in Computer Graphics and Type- setting	55
Fiegl, E., CAPT LT, Federal German Navy	A Simulation Model for the Study of Job Scheduling Policy	56
Flynn, J.P., LCDR, USN	ALGOL-M - An Implementation of a High-Level Block Structured Language for a Microprocessor- Based Computer System	57
Frydrychowicz, J.J., CAPT, USMC	A Study of the P-3C Omega Navi- gation System	58
Godley, J.B., LCDR, US Naval Reserve	A Microcomputer Based Generator of Recurring Operational Reports	59
Gomez, D.S., LT, USN	Microcomputer Application to Compute a Ship's Draft and Long- itudinal Stress	60
Gray, R.E., LCDR, USN	The Design of a System Software/ Hardware Interface for a Multi- processor Graphics System	61
Hammerud, R.C., CAPT, USN	A Study in Portable Software and Portable Program Development Systems	62
Hoffmann, H.M., LCDR, Federal German Navy	An Experiment in Software Error Occurrence and Detection	63
Hogan, W.L., JR., LT, USN	An Evaluation of a Raster Scan Display for Use in an Aircraft Information Handling System	64
Houston, D.P. CAPT, USAF (See McNeil, C.E., MAJ, USAF)		69

		<u>PAGE</u>
Janssens, C.J., LT, USN	Privacy Legislation and its Implication Toward the Computer Industry	65
Kaye, T.L., LT, USN (See Anzelmo, R.H., CAPT, USMC)		47
Keller, J.F., LT, USN	A Decision Logic Table Prepro- cessor	66
Lough, D.E., LCDR, USN	An Analysis of Data Base Query Languages	67
McCord, B.S., CAPT, USMC	An Enhancement of the Computer Typesetting Capability of UNIX	68
McNeil, C.E., MAJ, USAF	The Development of a User Oriented Interface for a Computer Driven Graphics Device	69
Metkarunchit, T., CAPT, Royal Ithai Army	Application of Database Model for Evaluating the Inverted File System	70
Modes, R.W., LT, USN, (See Conley, E.K., LT, USN)		51
Moranville, M.S., LT, USN (See Flynn, J.P. LCDR, USN)		57
Muller, R.J., MAJ, USMC (See Cloyes, R.D., Jr., LCDR, USN		50
O'Dell, J.M., LT, USN	The Development of a Segmented Memory Manager for the UNIX Operating System with Applications in a Multiported Memory Environ- ment	71
Rhoads, L.E., CAPT, USMC	The Design and Implementation of an Accurate Measurement System Which Uses A Controller-Oriented Microcomputer	72

		<u>PAGE</u>
Robertson, M.D., LT, USN	An Extended Basic Compiler with Graphics Interface for the PDP-11/50 Computer	73
Roesch, R.W., JR, CAPT, USMC (See Keller, J.F., LT, USN)		66
Russell, J.M., LT, USN	An Investigation of a FORTRAN Grammar for use with a Micro- processor Based LALR(1) Trans- lator Writing System	74
Sibre, C.E., LT, US Coast Guard	A Quadratic Assignment/Linear Programming Approach to Ship Scheduling for the U.S. Coast Guard	75
Thomas, M.C., LT, USN (See Cuzzocrea, J.L., LT, USN)		53
York, R.C., LCDR, USN	An Investigation of Two LALR(1) Parsing Techniques for the Com- puter Programming Language C	76

COMPUTER SYSTEMS MANAGEMENT

Fitzgerald, J.S., LCDR, USN	The Naval Modular Automated Communications System: An Application of Computer Technol- ogy to Shipboard Record Informa- tion Processing, Distribution and Transfer	77
--------------------------------	---	----

ELECTRICAL ENGINEERING

Adkins, J.H., LT, USN	Real Time Image Processor Using CTD Devices and Microcomputers	78
Ball, R.H., LCDR, USN	Shipboard Implementation of Micro- computer Systems	79

		<u>PAGE</u>
Biby, D.K., LT, USN	Microprocessor Software Controlled D/A and A/D Conversion	80
Bohannon, G.W., LT, USN	Digital Control and Processing for a Satellite Communications Monitoring System	81
Borries, W.G., LT, USN	An Interactive Computer Interface with a Digital Receiver	82
Campbell, B.A., LT, USN	Investigation and Application of Electrical Control to the Electron Beam of the Naval Postgraduate School Linear Electron Accelerator	83
Cornett, Billy, II, LT, USN	Electroencephalogram Preferred Frequency Response Signature to Skilled Motor Functions	84
Fricke, H.J., Jr., LCDR, USN	Stress Detection Utilizing the Electroencephalogram	85
Fuentez, R.M., LCDR, USN	Bandwidth Limitations of Fiber Optic Communications Links	86
Fujisawa, K., LT, Japan Maritime Self Defense Force	Applying State of the Art Linear Integrated Circuits to a Communication System	87
Hampshire, E.W., LT, USN	A Wideband VHF Analog Intensity Modulated Fiber Optic Link	88
Houle, N.A., LT, USN	Electronic Warfare Simulation as Applied to Passive Intercept Training	89
McCrory, S.M. III, LCDR, USN	Computer Modeling the Neurophysiology of Vision	90
O'Bryon, R.T., LT, USN	A 16-Level Gray Code Display System for Two Dimensional Ultrasonic Data	91
Patton, J.W., LT, USN	A Hardware Design for a Computer Aided Acoustic Imaging System	92

		<u>PAGE</u>
Renfree, P.R., LT, USN	Some Experimental Results on Counting Zeroes to Detect Sinusoidal and Frequency Modulated Signals in Noise	93
Riedel, R.G., LCDR, Federal German Navy	Sensitivity Study of the XR-3 Loads and Motions Computer Program Sidewall Parameters and Forces on Roll Behavior in Calm Sea and a Comparison to Testcraft Turn Maneuver Data	94
Robinson, J.R., III, CAPT, USMC	An Application Study of the Sliding Window Observer Algorithm	95
Rosenberger, D.K., LT USN	Signal Acquisition and Sampling Using a Microprocessor	96
Shachar, M., LT, Israeli Navy	Modeling and Recursive Estimation of Two Dimensional Random Fields and Applications to Target Detection	97
Silalahi, R.M., MAJ, Indonesian Navy	Adaptive Delta Modulation in Hardware Realization	98
Stamps, D.W., LCDR, USN	Control of Roll in a Turning Submarine	99
Turner, J.E., LT, USN	Class E Switching Mode RF Power Amplifier	100
Ward, C.R., LT, USN	Automatic Depth and Pitch Control for a Near Surface Submarine	101
Watts, K.D., CAPT, USMC	Electronic Warfare Support Jamming Pre-Mission Route Optimization	102
Westling, G.R., LT, US Coast Guard	The Statistics of Multipath Fading at VHF Applied to Communications Links at NAVTORPSTA Keyport, Washington	103
Wetters, D.T., LT, US Coast Guard	Receiver Interference Analysis	104

		<u>PAGE</u>
Williams, C. B., LT, US Coast Guard	Receiver Design for the Naval Postgraduate School SATCOM Signal Analyzer	105
Yayasuwarya, S., LT COL, Indonesian Air Force	Study of LH0045 Two Wire Trans- mitter for Remote Signaling	106
Young, D.K., LT, USN	A Calculator Controlled Micro- wave Network Analyzer System	107

MANAGEMENT

Abu-Alsamh, R.A., CDR, Royal Saudi Arabian Naval Forces	An Application of Markovian Chains in Manpower Planning	108
Anderson, W.H., LT, USN	Development of Performance Mea- sures for Organizational Level Aviation Maintenance Managers	109
Arnold, W.K., Jr., LCDR, USN	Organizational Design Consider- ations for the Subharpoon Project	110
Arraiz, S.E., LT CDR, Venezuelan Navy	Career Development of the Venezuelan Supply Officer	111
Augustin, J.H., Jr., LT, Civil Engineer Corps, USN	Negotiated Construction Contract- ing in Iceland	112
Rabin, B.T., CAPT, USMC	Determination of Student Quotas for the Marine Corps Special Education Program	113
Banas, R.S.,	The State of the Science of System Safety in the Department of Defense	114
Bannar, C.J., Jr.,	Technological Developments in Information Processing and The Resultant Impact on User Organi- zations	115

		<u>PAGE</u>
Berthiaume, W.F.H., LT, USN	Introductory Investigation of the Range Measuring System/ Data Collection System (RMS-2/ DCS)	116
Berzins, A.T., LCDR, USN	Acquisition Strategy: Concept and Definition	117
Bohannon, J.G., LT, USN	A Reliability Model for Stored Items Requiring Rework	118
Bradley, F.H., JR., LT USN (See Patterson, R.G., CDR, USN)		169
Buckner, E.W., CDR, USN	Impact of the Occupational Safety and Health Act on U.S. Naval Construction Forces	119
Burkett, H.A., LCDR, Civil Engineer Corps, USN (See Kruse, H.R. LCDR, USN)		150
Camp, R.T., LT, USN	An Application of Content Analysis to Determine Congress- ional Behavior in Relation to the Defense Budget	120
Cannon, W.W., MAJ, USA	Error Budget Analysis of Automatic Cannons on Armored Combat Vehicles	121
Chadick, W.L., CDR, USN	Decision Verification as an Element of Navy Quality Assurance Programs	122
Cohen, B.L., LCDR, Supply Corps, USN (See Berzins, A.T., LCDR, Supply Corps, USN)		117
Cooney, T.J., LCDR, USN	Weapon System Acquisition Manage- ment A Viable Career Program for the Unrestricted Line Aviation Officer	123

		<u>PAGE</u>
Crank, H.L., LT, Medical Service Corps, USN (See Prigmore, M.E., LCDR, Medical Service Corps, USN)		171
Croll, J.M., LT, Supply Corps, USN	A Profile of Management Problems in the Navy	124
Crow, D.R., LCDR, Supply Corps, USN (See Monson, J.P., LCDR, Supply Corps, USN)		163
Curtis, E.R., LCDR, Civil Engineer Corps, USN	Navy Industrial Fund Module of "Practical Comptrollership" Short Course	125
Davis, W.C.	An Organizational Analysis of Weapon Systems Management within the Naval Air Systems Command	126
DiPasquale, J.A.	A Study of the Evolution of the Reliability and Maintainability Engineering Disciplines	127
Dirian, D., National Parachute Test Range, El Centro, CA	An Investigation into Improving the NAVAIR Executive Management Program and Other Federal and NAEI Opportunities at the NPS	128
Doucette, R.W., Side- winder/Chaparral Program Manager, China Lake (See McClain, J.F., III, LT, Supply Corps, USN)		158
Early, E.H., Civil Engineering Labora- tory, Naval Construc- tion Battalion Center Port Hueneme, CA	The Measurement of Efforts to Enhance the Effectiveness of NAVFAC RDT&E Investments	129
Ebright, A.L., LT, USN	Budget Formulation and Appor- tionment of the Shipbuilding and Conversion, Navy (SCN) Appropri- ation	130

		<u>PAGE</u>
Edwards, D.D., LT, USN	An Analysis of the Financial Operations of the Military Sealift Command	131
Eshghi, A.R., CDR, Imperial Iranian Navy	A Process for Development of a Leadership and Management Pro- gram for Imperial Iranian Navy Junior Officers	132
Farlow, T.N., CAPT, USMC	The Feasibility and Potential Desirability of Incorporating Organization Development Tech- niques into the Marine Corps' Leadership Training Program	133
Fernandez, M., CAPTAIN de Corbeta, Spanish Navy	Improving Small Ships' Short Range High Frequency Communi- cations	134
Foote, M.C., LCDR USN	Budget Preparation Module of "Practical Controllership" Short Course	135
Fountain, D.C., CAPT, USA	Naval Weapons Station, Concord Export Capability: A Simulation Model	136
Gay, D.C.	The Conceptual Phase of the Navy System Acquisition Process-- Recommendations for Improvement	137
Golden, K.B., CAPT, USA	Comparison of Large Unit Combat Models	138
Green, W.T., LCDR, Supply Corps, USN (See Steidle, R.E., CDR, Supply Corps, USN)		182
Gulliford, S.R., LT, Supply Corps, USN	Supply and Financial Systems Training for the Line Officer Afloat	139
Haigis, J., LT, USN	A Study of Microwave Mobile Communication Systems for their Application to Automatic Position Location	140

	<u>PAGE</u>
Hamilton, T.A., (See DiPasquale, J.A.)	127
Hawxhurst, J.M., LT, Supply Corps, USN (See Parker, J.R., CDR, Supply Corps, USN)	168
Henning, P.J., LT, USN	Navy-Congressional Interactions and the Response to Mission Budgeting 141
Hochberger, L.K.	The Roles and Identification of Innovators and Linkers in the Technology Transfer Process 142
Hofer, I.E., Pacific Missile Test Center, Point Mugu, CA	A Review of Safety Needs and Safety Personnel Requirements in the Navy 143
Hunter, C.S., JR., LCDR, Supply Corps, USN	An Analysis of Aircraft Modifi- cations and Integrated Logistics Support in the F-4 Aircraft 144
Hutchinson, J.W., LT, USN	An Analysis of Contract Adminis- tration Procedures in a Foreign Military Sales Flight Training Contract 145
Johnson, M.D.	Job-Related Perceptions of Naval Aviators 146
Johnson, W.E., LT, Supply Corps, USN	Reallocating Navy Exchange Space to Maximize Profit 147
Jones, R., LT, Medical Service Corps, USN	An Analysis of the Implications of Decentralization in the Mili- tary Health Services System (MHSS) 148
Kanne, M.R., CAPT, USMC	Analysis of Lease Versus Buy Options for Procurement of Radio Assets for the Marine Corps Air Station at Yuma, Arizona 149

	<u>PAGE</u>
King, C.V., III, LT, Civil Engineer Corps, USN (See Myers, L.D., LCDR, Civil Engineer Corps, USN)	165
King, W.W., CDR, USN (See Foote, M.C., LCDR, USN)	135
Koepp, G.E., LCDR, USN (See Buckner, E.W., CDR, USN)	119
Kruse, H.R., LCDR, USN	Investigation of Card Program- mable and Chip Programmable Pocket Calculators and Calcu- lator Systems for Use at Naval Postgraduate School and in the Naval Establishment 150
Laack, D.R., CDR, USN	Concept Formulation for Less Than Major System Acquisitions 151
Lemon, H.B., LCDR, USN	The Development and Implemen- tation of a Fair Market Rental System for Military Family Housing 152
Long, G.L., III,	The Sandcrab Syndrome--Fact or Fiction? A Study of the Attitude of United States Naval Officers toward Civil Service Managerial and Technical Personnel 153
Magee, T.E., LT, USN	Differences in Aircraft Acquisi- tion Management Practices Between the Air Force and the Navy 154
Masten, R.L., LCDR, USN (See DiPasquale, J.A.)	127
Matthews, J.C., LT, SC, USN	The Functions and Corresponding Processes Involved with Field Level Comptrollership 155

		<u>PAGE</u>
Matzko, D.H., MAJ, USMC	ILS Planning for the Harrier Weapon System	156
Mayo, R.W., LT, USN	The Structure, Conduct and Per- formance of the United States Telecommunications Industry	157
McClain, J.F., III, LT, Supply Corps, USN	Design Considerations and Crite- ria for a Management Information and Control System for the Side- winder Program Office at the Naval Weapons Center, China Lake	158
McClure, T.D., LCDR, USN, CEC	Application of the Commercial or Industrial Activities Program to Public Works Centers	159
McLaughlin, R.J., MAJ, USMC	An Analysis of Personnel Para- chutes for Use by Marine Corps Force Reconnaissance Units	160
Monahan, B.B., LT, USN	First Article Requirements and Their Effect on the Navy Supply System	161
Monahan, D.W., LCDR, USN	An Examination of the Navy Stock Fund	162
Monson, J.P., LCDR, Supply Corps, USN	Impact of the Changing Congres- sional Budget Focus on Navy Financial Management Techniques	163
Mosher, R.L., LCDR, USN	G-S-E Management and Funding	164
Mullane, J.F., Jr, MAJ, USMC (See Schwartz, H.J., CDR, CEC, USN)		177
Myers, L.D., LCDR, Civil Engineer Corps, USN	Economic Analysis of Navy Owner- ship vs Leasing of Vehicles	165
Nash, D.J., LCDR, Civil Engineer Corps, USN	A Comparative Study of Acquisi- tion Departments in Two Engineer- ing Field Divisions of the Naval Facilities Engineering Command	166
Newton, C.C., LT, USN (See McClure, T.D., LCDR, USN, CEC)		159

		<u>PAGE</u>
Nusantoro, P., MAJ, Indonesian Navy, Administration Corps	Program Budgeting in the Indonesian Navy	167
Opresko, G., Naval Weapons Engineering Support Activity, Washington, D.C. (See Dirian, D., National Parachute Test Range, El Centro, CA		128
Parker, J.R., CDR, Supply Corps, USN	Foreign Military Sales (FMS): Costs, Benefits, and a New Approach	168
Patrow, R., CAPT, USMC (See Babin, B.T., CAPT, USMC)		113
Patterson, R.G., CDR, USN	Aviation Common Ground Support Equipment Replacement Policy Investigation	169
Powers, F.W., National Parachute Test Range El Centro, CA	A Study of Nuclear Submarine Officer Retention Factors	170
Prigmore, M.E., LCDR, Medical Service Corps, USN	Performance Indices for Military Hospitals	171
Rabold, B.L., JR., LT, Civil Engineer Corps, USN	A Proposed Methodology for Analyzing the Naval Petroleum Reserve Number One, Elk Hills, California, Pipeline Construction Decision	172
Robinson, R.D., LCDR, Supply Corps, USN	A Case Study in Bulk Warehouse Modernization at the Naval Supply Center, Oakland, California	173
Samuelson, R.C., LT, US Coast Guard	Internal Controls and Internal Review Module of "Practical Comptrollership" Short Course	174

		<u>PAGE</u>
Sanchez, D.H., LCDR, Supply Corps, USN	A Study of the Navy's Redress System	175
Schottler, D.A., LT, Civil Engineer Corps, USN	A Methodology for Comparison of Two Educational Institutions' Facility Maintenance Department of Similar Scale: The Improved Grounds Case	176
Schwartz, H.J., CDR, CEC, USN	Rate Stabilization Effectiveness at PWC San Diego	177
Sherwood, R.W., CAPT, USA	Time Series Analysis as a Tech- nique for Analyzing the Policy Implications of the Expenditure Phase of the Defense Budget	178
Soderberg, P.O., LT, USN	Procurement Contracting Officer's Guide to Cost Accounting Standards	179
Stamps, D.W., LCDR, USN	A Survey of the Constructive Change Aspects of Major Ship- building Claims	180
Stanton, T.P., LT, USN	An Assessment of Lockheed Air- craft Corporation and the Emer- gency Loan Guarantee Act	181
Steidle, R.E., CDR, Supply Corps, USN	The Development of an Automated Information System to Provide a Source of Communication Document for Persons Interested in Tech- nology Transfer	182
Suarez, M., LCDR, Venezuelan Navy	Arms Transfers to Venezuela: A Critical Analysis of the Acquisi- tion Process, 1962-1975	183
Sweeney, J.J., CAPT, USA, (See Cannon, MAJ, USA)		121
Talutis, W.R., LCDR, Civil Engineer Corps, USN	Performance in Small Maintenance Service Contracts	184

		<u>PAGE</u>
Walker, H.E., Jr., CDR, USN	Budget Execution and Navy Accounting Segment for "Practical Comptrollership" Short Course	185
Walton, D.L., LT, Civil Engineer Corps, US Naval Reserve	Costs and Benefits of Extensive Electricity Metering at the Naval Postgraduate School, Monterey	186
Waterman, W.L., LCDR, USN (See Walker, H.E., Jr, CDR, USN)		185
Wilson, B.A.	Comparison of Methods Currently Employed by the Commercial Air- lines and the United States Navy with Respect to the Acquisition and Development of Aviation Maintenance Managers	187
Witt, T.C.W., LCDR, USN	A Comparison of AM vs FM Digital Techniques for UHF Line of Sight Communications	188
Wittman, W.W., LT, USN (See Mayo, R.W., LT, USN)		157
Woolley, B.G., (See Hochberger, L.K.)		142
U-Kim, P., CDR, Republic of Korea Navy	A Methodological Approach for Analyzing the Factors Influencing the Republic of Korea Arms Acquisition	189
Zia, R.K., LT, USN (See Arnold, W.K., Jr., LCDR, USN)		110

MECHANICAL ENGINEERING

Boland, J.A., LT, USN	Life and Drag Measurement and Analysis of the Stern Seal of the Captured Air Bubble Testcraft XR-3	190
-----------------------	--	-----

		<u>PAGE</u>
Bruns, W.M.S., LCDR, Federal German Navy	Impulsive Flow about a Circular Cylinder	191
Daley, M., LT, USN	Design of an Electrohydraulic Wave Follower System	192
Demirbilek, Z., LT, Turkish Navy	Transverse Oscillations of a Circular Cylinder in Uniform Flow	193
Ellin, C.R., LT, USN	Model Tests of Multiple Nozzle Exhaust Gas Eduction Systems for Gas Turbine Powered Ships	194
Henning, P.J., LT, USN	Transverse Forces on Rough Cylinders in Harmonic Flow	195
Kanazawa, M., LT, Japan Maritime Self Defense Force	Simulation of a Controllable Reversible Pitch (C.R.P.) Pro- peller System	196
Kibler, A.E., Jr., LT, USN	A Finite Element Preprocessor or SAP IV and ADINA	197
Locke, J.S., LT, USN	Investigation into the Effect of Dissimilar Metal Coupling, Potential, and Processing on the Mode and Distribution of Galvanic Corrosion Attack on 5086 Aluminum Alloy in Synthetic Seawater	198
Morgan, J.L., LT, USN	Some Experimental Observations of Dropwise Condensation of Steam	199
Moss, C.M., LT, USN	Effects of Several Geometric Para- meters on the Performance of a Multiple Nozzle Eductor System	200
Owendoff, R.S., LT, USN	Gravitational Effects on the Operation of a Variable Conduc- tance Heat Pipe	201
Post, R.A., LT, USN	Fluid Impact Forces on Cylinders in Harmonic Flow	202
Storm, G.A., LT, USN	The Effects of Velocity on Corrosion of Galvanic Couples in Seawater	203

		<u>PAGE</u>
Tantrakul, C., LT, Royal Thai Navy	Condensation Heat Transfer Inside Rotating Heat Pipes	204
Toney, J.H., LT, USN	A Comparative Analysis of Mathematical Modeling Techniques for Ships with Gas Turbine and CRP Prime Movers	205
Williams, B.A., LT, USN	Analysis of Wave/Object Interaction using Distributed Source Elements of Linearly Varying Strengths	206
Yurteri, M., LT, Turkish Navy	Experimental Study of Natural Convection in Thin Horizontal Liquid Layers	207

METEOROLOGY

Godin, R.H., LT, US Naval Reserve	An Investigation of Synoptic and Associated Mesoscale Patterns Leading to Significant Weather Days at McMurdo Station, Antarctic	208
Hayes, J.L., CAPT, USAF	Numerical Simulation of Air Flow over Mountains	209
Lubeck, O.M., LT, USN	Divergent Initialization Experiments Using a Global Primitive Equation Spectral Model	210
Maas, E., Jr., LT, USN	Composite Analysis of Easterly Waves in the Tropical Pacific During Two Contrasting Periods of Sea-Surface Temperature Anomalies	211
Macias, V., Jr., CAPT, USAF	An Investigation of Electro-optical Turbulence Parameters	212
Nicklin, D.S., 1LT, USAF	A Statistical Analysis of Western Pacific Tropical Cyclone Forecast Errors	213

		<u>PAGE</u>
Paine, R.H., CAPT, USAF	A Three Platform Experiment on Optical Turbulence in the Marine Boundary Layer	214
Patterson, W.L., LT, USN	A Numerical Experiment of the Development of the Zonally Symmetric Northern Summer Monsoon	215
Shewchuk, J.D., CAPT, USAF	Development of a Biasing Scheme to Improve Initial Dynamical Model Forecasts of Tropical Cyclone Motion	216
Schwenke, G.W., LT, USN	Numerical Modelling of the Evolution of Monsoon Circulation Along 80°F	217
Van Orman, B.L., CAPT, USAF	Statistical Diagnostic Modeling of Marine Fog Using Model Output Parameters	218

METEOROLOGY AND OCEANOGRAPHY

Berry, G.H., LT, USN	The Relationship between FNWC Surface Wind Analysis and NOAA/ NESS GOSSTCOMP (SST) Data in the Eastern South Pacific	219
Corbin, J.H., LT, USN	Measurement of Near Sea Surface Turbulence and Possible Wave Influence	220
Delaney, D.M., LT, USN	A Composite Satellite Study of the 1972-73 Easterly Waves in the Tropical Western Pacific	221
Hultstrand, V.S., LT, USN	Kinematics of Breaking Waves in the Surf Zone: Emphasizing Analysis of Identified and Classified Breakers	222
Ihli, C.B., Jr., LT, USN	The Use of DMSP and SMS-2 Digi- tal Satellite Data for Identify- ing Marine Fog in the Eastern North Pacific Ocean Area	223

		<u>PAGE</u>
Johnson, W.F., LT, USN	Upper Ocean Thermal Structure Forecast Evaluation of a Model Using Synoptic Data	224
Salinas, M.G., LT, USN	Evaluation of the Sensors on the Prototype Automatic Weather Station Platform in the Antarctic	225
Schrobo, S.M., LT, USN	Numerical Simulation of Flow Over Mountains Using a Channeled and Nested Grid Model	226

NATIONAL SECURITY AFFAIRS

Smith, D.B., CAPT, USAF	The Egyptian Military Elite: An Operational Code	227
----------------------------	---	-----

OCEANOGRAPHY

Ashim, L.D., LT, USN	The Operational Determination of Wind Stress on the Arctic Ice Pack	228
Backes, D.A., LT, USN	Santa Ana Association Offshore Fog: Forecasting with a Sequen- tial Model	229
Cummings, W.J., LT, USN	A Description of the General Circulation in the North Atlantic Ocean Based on Mass Transport Values Derived from IGY (1957- 1958) Temperature and Salinity Data	230
Garcia, C.S.V., CDR, Venezuelan Navy	Bed Shear Stress Coefficient within the Surf Zone	231
Handlers, R.B., LT, USN	On the Question of Accumulation of Ice-Melt Water South of the Ice in the Chukchi Sea	232
Mallgrave, F.J., III, LT, USN	Resonator Measurements of Acous- tic Characteristics of Some Ma- rine Crustaceans: A Laboratory Experiment	233

		<u>PAGE</u>
McReynolds, D.J., LT, USN	Wave Set Up and Set Down Due to a Narrow Frequency Wave Spectrum	234
Morris, W.D., LT, USN	Suspended Sediments Measured in the Surf Zone	235
Olsen, A.J., LT, USN	The Kinematics of Breaking Waves in the Surf Zone	236
Raney, S.D.,	Characteristics of Atmospheric Forcing Functions	237
Taylor, J.E., LT, USN	Marine Microfouling in Monterey Harbor: Observations Using the Scanning Electron Microscope	238
Thompson, D.L., LT, US Coast Guard	Biofouling Organisms and Their Salinity Tolerance on Navigation- al Buoys in Upper San Francisco Bay	239
Zafran, R., LCDR, USN	Spectral Irradiance Measurements in Monterey Bay	240

OPERATIONS RESEARCH

Anderson, J.R.,	Bayesian Decision Theory in Variables Sampling for Quality Control	241
Banis, F.G., II, CAPT, Ordnance Corps, USA	Modeling of the Non-Integral FEBA	242
Baumgartner, W.E., LT, USN	Human Factors Engineering Consid- erations in Designing Naval Air- craft for Maintainability	243
Benkel, M.W., CAPT, Federal German Army	Scatterable Mines: Dispersion, Detection and Avoidance	244
Boo Woong, C., LCDR, Republic of Korea Army	Operational Availability with Limited Spares Support	245

		<u>PAGE</u>
Coons, W.E., LT, USN	Physiological Correlates of Vigilance Performance	246
Curran, L.E., LCDR, USN	Navy Tactical Data Information Display Complexity Effects on Visual Search Reaction Time and Response Accuracy	247
Davis, K.D., LT, USN	System Dynamics Approach to Air- craft Cost/Readiness Analysis, a Feasibility Study	248
Dewald, L.S., Sr, CAPT, USA	Simulation of a Field Artillery Battery in Support of the Defense	249
Diaz, H.C., LCDR, Venezuelan Navy	An Analysis of the Venezuelan D.O.D. Budget Process	250
Donelan, J.O., LCDR, US Naval Reserve	Investigation of Goaling Models for Navy Recruiting	251
Fuller, R.G., LT, USN	An Evaluation of the Fidelity of Motion Simulators Using a Model of Human Dynamic Orientation	252
Grigsby, J.C., LCDR, USN	An Analysis of Maintenance Factors on Selected U.S. Navy Ships	253
Hariono, LCDR, Indonesian Navy	A Comparative Accuracy of Several Discrete Methods for Lower Con- fidence Limit on System Reliabil- ity	254
Hinchey, J.A., CAPT, USAF	The Inclusion of Current Data in Suppression Modeling	255
Kim, C.Y., LCDR, Korean Army	Generation and Analysis of Para- meterized Terrain for Land Combat	256
Laidlaw, C.E., LCDR, USN	The Effect of Search Radius on Search Efficiency When the Targets Must Be Visited	257
Lee, Y.W., LCDR, Republic of Korean Air Force	An Application of CP/CMS To The Time Series Analysis	258

		<u>PAGE</u>
Lehmann, B., LCDR, Federal German Navy	Missile Employment from Fast Patrol Boats-A Computer-Based Analysis of the Search-Sector Parameters	259
Lippert, K.W., LT, Supply Corps, USN	An Analysis of the Ships Parts Control Center Inventory Model and a Possible Alternative Model	260
Lowe, M.E., CAPT, USMC	Rationale for Evaluating Tactical Exercise Control Systems	261
Masuda, J., Technical Official, Japan Air Self Defense Force	The Single Period Inventory Model: Origins, Solutions, Vari- ations, and Applications	262
Maynard, T.R., LT, USN	Comparison of Log-Gamma and Lieberman-Ross Lower Confidence Limit Procedure on System Reli- ability	263
Mazza, J.D., LCDR, USN	A Comparison of Integrated and Conventional Cockpit Warning Systems	264
Mjelde, A., LCDR, Royal Norwegian Navy	A Homing Torpedo - The Effect of the Tactical Situation and the Torpedo Parameters on the Torpedo Effectiveness	265
Moore, H.R., II, LT, USN	Robust Regression Using Maximum- Likelihood Weighting and Assuming Cauchy-Distributed Random Error	266
Moore, M.J., CAPT, USA	An Analysis of Major Training Area Operations in V Corps, US Army Europe	267
Mowbray, J.F., LCDR, USN	Methodology for Identifying and Quantifying the Criticality of Human Factors Deficiencies in Naval Aircraft Cockpits	268
Ngandani, COL, Indonesian Army	A Study of Cross-Cultural Adjust- ment of International Students at the Naval Postgraduate School	269
O'Connell, P.M., LT, USN	Measuring Arms Transfers with Multiple Attribute Utility Theory	270

		<u>PAGE</u>
Patrow, M.L., CAPT, USMC	A Comparison of Two Algorithms for the Simulation of Non-Homo- geneous Poisson Processes with Degree-Two Exponential Polynomial Intensity Function	271
Quartano, A.G., LT, USN	Human Verbal Behavior Consider- ations in the Design of Voice Actuated Hardware Systems	272
Rashid, A., Flight Lieutenant, Pakistan Air Force	Statistical Analysis of U.S. Navy Major Aircraft Accidents Rates, Pilot and Aircraft Time- Dependent Variables	273
Simmons, J.W., II, LT, USN	Sensitivity Analysis of Optimal Solutions for Objective Functions with Stochastic Parameters	275
Taylor, J.E., LT, USN	An Examination of Skill Deterio- ration and Retraining in the United States Navy	276
Teesdale, T.J., CAPT, USA (See Moore, M.J., CAPT, USA)		267
Trapnell, R.G., LCDR, USN	On the Convexity of the Hadley- Whitin Lost Sales Inventory Model and the Characterization of its Minimum Solution	277
Walls, W.H., LCDR, USN	Determination of Hypothesis Test- ability in Linear Statistical Models	278
Wilkinson, W.J., II LT, US Coast Guard	A Methodology to Evaluate Mili- tary Systems in Naval Inventory for Installation on Existing Coast Guard Cutters	279

PERSONNEL MANAGEMENT

PAGE

Ke-Cheng, L., COL, Chinese Marine Corps	Determining Discount Rate in the Republic of China and its Role in Economic Analysis	280
---	--	-----

PHYSICS

Anderson, S.K., LT, USN	Theory of Dual-Charged Particles	281
Beachy, J.S., LCDR, USN	Electroexcitation of the T = 1 Nucleus ^{58}Ni and the T = 2 Nucleus ^{60}Ni Up to 50 MeV Excit- ation Energy	282
Funk, W.T., LT, USN	A Hydrogen Fluoride/Deuterium Fluoride Laser at the Naval Post- graduate School	283
Halliday, W.H., MAJ, Canadian Armed Forces	Iodine Laser	284
Houk, W.A., LT, USN	An Investigation of the Nuclear Continuum in the Fissionable Nucleus ^{238}U with 87.5 Electrons	285
Kelly, P.W., Sr., LT, USN	Computer Simulation of the Angular Dispersion of Sputtered Copper Isotopes and a Possible "Liquid Splash" Effect	286
Kowalick, S.J., Jr., (See Beach, J.S., LCDR, USN)		282
Moore, R.W., LCDR, USN (See Houk, W.A., LT, USN)		285
Polk, J.S., LCDR, USN	Laser Induced Desorption of Gas from Stainless Steel Surfaces	287

		<u>PAGE</u>
Smith, G.L., LT, USN	Computer Simulation of the Sputtering of Silicon	288
Sontheimer, R.F., LT, USN (See Funk, W.T., LT, USN)		283

SYSTEMS TECHNOLOGY

Arnote, S.D., LT, USN	Consideration of the Carrier- Based Tactical Support Center Installation Design	289
Cahill, D.B., LCDR, USN	Tactical Display of CZ Propaga- tion Areas	290
Elsen, M.E., LT, USN	Measurement of Low Frequency Acoustic Reverberation in Dabob Bay: I. Description of Proced- ures and Data Analysis	291
Green, K.P., LT, USN	An Antisubmarine Warfare Board Game	292
Madden, L.D., LCDR, USN	POCKET-PROPLOSS - Program and Models for the Computation of Acoustic Transmission Loss on Hand-Held Calculators	293
Mitchell, L.J., LT, USN	The Use of Linear Regression Models in Non-Linear Towed Array Systems	294
Phillips, T.L., LT, USN	Proposals to Improve the Capabil- ities of the AN/ASN-123 Tactical Navigation Set	295
Purcell, R.L., LT, USN	Analysis of Mad Noise Character- istics	296

TELECOMMUNICATIONS SYSTEMS MANAGEMENT

Libuda, H.P., LT, US Coast Guard	Personal Computing	297
-------------------------------------	--------------------	-----

		<u>PAGE</u>
Wilson, L. M., LT, U.S. Coast Guard	A Vessel Inspection Information System	298

MASTER OF ARTS DEGREES

NATIONAL SECURITY AFFAIRS

Chrisman, W. G., LCDR USN (See Peterson, R. W., LCDR, USN)		306
Coe, R. E., CAPT, USAF	The Two Faces of Italian Communism The Seizure of Power by Tactics of Accommodation and the Calculated Destruction of Liberal Democracy by Revolutionary Transformation of Society	299
Easterly, J. C., CAPT, USAF	Soviet Interest in Scandinavia: An Analysis of Soviet Foreign Policy Toward the Nordic States	300
Helms, D. L. CAPT, USAF	The Eurocommunist Challenge and The Eastern European and Soviet Response	301
Jacoby, L. E. LT, USN	Quantitative Assessment of Third World Sea Denial Capabilities	302
Lake, G. E. LT, USN	A Graphical Representation of Multivariate Data: Soviet Foreign Policy in Sub-Saharan Africa	303
Nye, E. B., LT, USN (See Mueller, J.W., LCDR, USN)		304
Peterson, R. W. LCDR, USN	International Terrorism Threat Analysis	305

	<u>PAGE</u>
Ratley, L.O., III, CAPT, USAF	A Comparison of the USAF Projected A-10 Employment in Europe and the <u>Luftwaffe Schlachtgeschwader</u> Experience on the Eastern Front in World War Two 306
Sykes, W.G., LT, USN	Egyptian Arms Procurement in the Post-1973 War Era; a Case Study in the Dynamics of the Arms Diversification Process 307
Index	308-314

Optimal Bayesian Estimation of the
State of a Probabilistically Mapped
Memory-Conditional Markov Process with
Application to Manual Morse Decoding

Edison Lee Bell

Lieutenant, United States Navy

B.E.E., Georgia Institute of Technology, 1969

M.S.E.E., Naval Postgraduate School, 1974

Elec. Engr., Naval Postgraduate School, 1975

This dissertation investigates the problem of automatic transcription of the hand-keyed Morse signal. A unified model for this signal process transmitted over a noisy channel is shown to be a system in which the state of the Morse process evolves as a memory-conditioned probabilistic mapping of a conditional Markov process, with the state of this process playing the role of a parameter vector of the channel model. The decoding problem is then posed as finding an optimal estimate of the state of the Morse process, given a sequence of measurements of the detected signal. The Bayesian solution to this nonlinear estimation problem is obtained explicitly for the parameter-conditional linear-gaussian channel, and the resulting optimal decoder is shown to consist of a denumerable but exponentially expanding set of linear Kalman filters operating on a dynamically evolving trellis. Decoder performance is obtained by computer simulation, for the case of random letter message texts. For nonrandom texts, further research is indicated to specify linguistic and format-dependent models consistent with the model structure developed herein.

Doctor of Engineering
September 1977

Thesis Advisor: S. Jauregui
Electrical Engineering
Department

Properties of Residual Mixing Distributions
Resulting from Arbitrary Mixtures of
Exponential Life Distributions

David Russell Campbell
Lieutenant Commander, United States Navy
B.S., University of New Mexico, 1963
M.S., Naval Postgraduate School, 1971

A mixture of failure rates can be present in an apparently homogeneous population of "devices" due to variability either in their manufacture or in the severity of their service environments. An initial mixing distribution is the probability distribution for different failure rates in such a population. This distribution may be updated to yield its related residual mixing distribution, which is the probability distribution for different failure rates in the population of survivors after a specified period of service or "burn-in." Residual mixing distributions resulting from arbitrary mixtures of constant failure rates are shown to be stochastically ordered (decreasingly) as the period of service or burn-in is increased, and to approach in the limit a distribution degenerate at the smallest failure rate "present" in the population. Properties of expected value ordering, stochastic ordering, failure rate ordering and likelihood ratio ordering are investigated to show that, of these, only likelihood ratio ordering between two initial mixing distributions is sufficient to guarantee an ordering between the expected values of their respective residual mixing distributions over time.

Doctor of Philosophy
June 1977

Advisor: James D. Esary
Operations Research
Department

A Dynamic Stochastic Model of Corporate Behavior Over the Business Cycle
with a Special Application to the Major U.S. Military Airframe Builders

John Dudley Finnerty
A.B., Williams College, 1971
B.A., Cambridge University, 1973
M.A., Cambridge University, 1977

This thesis contains a formulation of a dynamic stochastic model of corporate behavior over the business cycle and applies the basic model to firms in the U.S. airframe industry. The literature dealing with the theory of the firm is surveyed and a taxonomy is developed within which the major contributions to the literature are appraised.

The basic model is formulated as an optimal control problem. The model is used to study the behavior of the firm over the business cycle and to suggest a possible reconciliation of the traditional and managerial theories of the firm. Financial considerations are incorporated into the model and the relationship between the firm's optimal operating decisions and its optimal financial decisions is examined. Organizational factors are introduced and some of the consequences of decentralized decision-making for the loss of control and X-efficiency are studied.

The basic model is extended to the major airframe builders by incorporating factors specific to that industry's institutional milieu. A model of a representative airframe builder is formulated as a stochastic optimal control problem and is used to study the impact of the government's progress payments policy and the likely impact of making interest expense an allowable cost under government contracts.

Doctor of Philosophy
September 1977

Advisor: Carl R. Jones
Dept. of Administrative
Sciences

Numerical Methods for Solution of
Queuing-Network Problems with Applications to
Models of Multiprogrammed Computer Systems

George R. Humfeld
B.S., University of Missouri-Kansas City, 1968
M.S., University of Utah, 1970

The major difficulties in determination of the steady-state properties of a Markovian queuing network by numerical solution of a set of linear balance equations are the choice of vector representation of the states, the generation and storage of the states, and generation, storage and solution of the balance equations. Lexicographic sequencing of the vector representations are shown in this thesis to lead to efficiencies in the storage and solution of the balance equations and to provide a key to efficient generation and storage of the states. Convergence properties of three iterative solution methods are examined for cyclic models, such as those which can result from a central-server model. An analysis of possible bias in software monitors on computer systems is analyzed in terms of a central-server model of such systems. Techniques for examining tape-mounting policies and core-allocation policies are also suggested.

Doctor of Philosophy
September 1977

Advisor: Donald P. Gaver
Department of
Operations Research

Maneuvering Strategies for Optimal Evasion of a
Proportionally Navigated Missile

by

Robert Harper Shumaker
Captain, United States Navy
B.S., United States Naval Academy, 1956
M.S., Naval Postgraduate School, 1975

The problem of how to optimally maneuver an aircraft in the face of the homing missile threat is addressed. The criterion of judgment is the miss distance which is the separation distance at the point of closest approach.

The problem is modeled in state space in both two and three dimensions and incorporates time delays in response to command and also constraints on the turning rates of both vehicles. Various non-linear programming methods are employed to derive an open-loop strategy. Since these techniques are computationally time consuming, several strategies are proposed and analyzed, which lead to a closed-form, slightly sub-optimal solution which is capable of real time implementation.

Doctor of Philosophy
June 1977

Advisor: H. A. Titus
Electrical Engineering
Department

Unsteady Supersonic Cascade Theory:
Linear and Nonlinear Considerations

Joseph Anthony Strada
Lieutenant Commander, United States Navy
B.S., Villanova University, 1967
M.S., Naval Postgraduate School, 1976

This study presents two methods of analysis for the supersonic oscillating cascade with subsonic leading edge. A relatively straightforward solution is developed for the slowly oscillating finite and infinite flat-plate cascades which provides simple analytical expressions for the unsteady pressure distributions. Comparison with other solutions is generally excellent. Some additional linear topics including resonance and a unique inflow condition are also treated. In addition a nonlinear method of characteristics solution for finite cascades is described which permits analysis of blade thickness effects on flutter. At this time, only the inlet and passage flow computations have been completed and are compared with available experimental data.

Doctor of Philosophy
September 1977

Thesis Advisor: M.F. Platzer
Aeronautics Department

Barotropic Instability Of A
Zonally Varying Easterly Jet

Jesus Bonifacio Tupaz
Commander, United States Navy
B.S., United States Naval Academy, 1960
M.S., Naval Postgraduate School, 1967

The structure and behavior of barotropically unstable and stable wave disturbances in the vicinity of a zonally varying easterly jet are studied numerically with a linearized barotropic vorticity equation on a β -plane. The easterly jet is approximated by a Bickley jet with a slow zonal variation. The numerical results are also compared with a simple analytical model using the local phase speed and growth rate concepts. The results are grossly similar in several respects to that expected from the parallel flow theory of barotropic instability, however, the resultant structure of the waves causes a spatial growth rate greater than predicted by the local growth rates computed with a parallel flow model. In the stable region, the structure leads to strong dynamic damping. When a uniform current is superimposed on a variable mean flow, the differences between the behavior of the computed waves and that implied by the parallel flow theory are diminished. The waves remove kinetic energy from the mean flow and most of this energy is removed on the downwind side of the jet. The computer structure and behavior of the waves have a number of features that resemble those observed in the vicinity of the upper troposphere easterly jet during the summer monsoon.

Doctor of Philosophy
June 1977

Advisors: R. T. Williams
C. P. Chang
Meteorology
Department

Unsteady Surface Pressure
and Near-Wake Hotwire Measurements
of a Circulation Control Airfoil

Karl Aurel Kail, IV
Lieutenant, United States Navy
B.S., University of Colorado, 1967

The large lift coefficient changes attainable with Circulation Control Airfoils through small changes in boundary layer blowing suggest rotary wing cyclic control can be obtained through modulation of the blowing. Static pressure distributions were obtained to assess the unsteady behavior of a Circulation Control Rotor in a two-dimensional flow. A constant-radius hotwire wake traversing mechanism was constructed to augment the pressure data and to study the flow phenomena occurring in the region of Coanda jet separation. Through correlation of turbulence intensity data with pressure data, it was discovered that the point of Coanda jet separation could be located using the hotwire. The objective of these tests was accordingly expanded to include correlation of the location of separation with flow parameter variation.

Although steady flow, steady blowing tests results were favorable, the unsteady blowing test was restricted in scope because of an inability of the injection air compressor to provide an adequate flow, and because the real-time acquisition system was not completed in time for these tests. From mean value and RMS data obtained during oscillatory blowing, no increase in average lift augmentation above that produced in equivalent steady blowing was discernible.

Aeronautical Engineer
September 1977

Thesis Advisor: J.A. Miller
Aeronautics Department

Two-dimensional Nonrecursive Filter
for
Estimation and Detection of Targets

David Bar-Yehoshua
Lieutenant, Israeli Navy
B.S.E.E., 'Technion' High Technological Institute, Israel, 1970
M.S.E.E. (with distinc.), Naval Postgraduate School, 1976

The concept and design of a two-dimensional linear non-recursive filter for enhancement and detection of targets in a noisy image are investigated. The filter provides optimal estimation of the image in the sense of minimization of the mean square estimation error (MMSE). The design procedure is based on the knowledge of stochastic properties of the image which includes targets, correlated (colored) random noises and uncorrelated (white) random noises. Filters of different structures were designed for a range of different images and tested by computer simulations.

Electrical Engineer
June 1977

Advisor: T. F. Tao
Electrical Engineering
Department

INVESTIGATION OF TANTALUM OXIDE AS AN INSULATOR IN MIS
STRUCTURES

Benjamin George Belrose
Lieutenant, United States Navy
BSEE PURDUE UNIVERSITY 1970
MSEE NAVAL POSTGRADUATE SCHOOL MARCH 1976

Electrolytically anodized tantalum has been investigated for use as the insulating layer in MIS structures of three semiconductors: Si, GaAs and PbSnTe. Its high dielectric constant is of particular interest for low voltage integrated circuit operation and for infrared charge coupled imagers using lead salt semiconductors.

Tantalum was vapor deposited by an electron beam method and subsequently anodized in an electrolyte followed by a heat treatment. Good MIS structures on both n-type and p-type silicon have been obtained with a relative dielectric constant in the range from 20 to 40, flatband voltage on the order of ± 2 volts, and surface state density in the range from middle 10^{10} cm^{-2} to low 10^{12} cm^{-2} . Preliminary investigation of MIS structures of GaAs showed inversion but with large flatband voltage and surface state density.

Electrical Engineer
March 1977

Advisor: Tien F. Tao
Electrical Engineering
Department

A COMPUTER AIDED DESIGN OF DIGITAL FILTERS

Kayhan Elitas
Lieutenant

B.S.E.E., Naval Postgraduate School, 1975

M.S.E.E., Naval Postgraduate School, 1976

Expressions for a generalized Modified Transitional Butterworth-Chebyshev (MTBC) filter are derived. The characteristics of this filter as applied to digital filter design are investigated. It is shown that by adjusting location and order of the inserted zeros, the cut-off slope rate of the filter can be traded for maximum attenuation in the stop-band.

The performance of this MTBC filter is compared to that of Butterworth, Chebyshev, transitional Butterworth-Chebyshev filters together with those suggested by other investigators (1)-(3). It is shown that the stop-band attenuation can be significantly increased without great sacrifice of cut-off slope rate.

Step response of this MTBC filter is also obtained and compared with other filters. Various tabulations as well as graphs of this filter are given for design purposes. A computer program is developed for the design of this filter.

Electrical Engineer
June 1977

Advisor: S. G. Chan
Electrical Engineering
Department

Investigation of Heat Transfer in
Straight and Curved Rectangular Ducts
using Liquid Crystals Thermography

Mario do Carmo Durao
Lieutenant, Portuguese Navy

A rectangular cross section channel with both straight and curved test sections was used to investigate the effect of Taylor-Goertler vortices on the heat transfer from the curved section by comparing the results with those obtained in the straight section. The flow was heated through the Joulean heating of one of the walls which was made of Tensheet. Liquid crystals were applied on the surfaces of both test sections. Experiments were run for several values of the volumetric flow rate corresponding to Reynolds numbers between 258 and 920. The average Nusselt number was calculated for each experiment and plotted as function of the Reynolds and Dean numbers. Three distinct regions of the average Nusselt number were observed in the curved section when compared with the straight section. The presence of Taylor-Goertler vortices in the curved section was verified from the distribution of the liquid crystals color bands. It was concluded that the overall effect of the vortices whenever they occurred was to improve the heat transfer process from the curved section.

Mechanical Engineer
June 1977

Thesis Advisor: M. Kelleher
Mechanical Engineering
Department

Experimentally Determined
Effects of Eductor Geometry on the
Performance of Exhaust Gas Eductors for
Gas Turbine Powered Ships

John Peter Harrell, Jr.
Lieutenant, United States Navy
B.S., United States Naval Academy, 1970

Cold flow model tests of exhaust gas eductors with constant area mixing stacks were conducted to evaluate the effects of geometric configuration on eductor performance. Single-nozzle and four-nozzle designs were tested. The other geometric variables were mixing stack length to diameter ratio (L/D), primary nozzle standoff to diameter ratio (S/D), and mixing stack entrance configuration. Non-dimensional parameters governing the flow phenomena are developed from a one-dimensional analysis of a simple eductor system. The eductor performance is evaluated in terms of these non-dimensional parameters. The four-nozzle configurations were found to have better performance than single-nozzle configurations for L/D 's less than eight. The effects of L/D , S/D , and entrance shape on performance were found to be highly interdependent at short L/D 's. Performance for L/D 's greater than four was found to be independent of S/D within the range of S/D 's studied.

Mechanical Engineer
September 1977

Thesis Advisor: P.F. Pucci
Mechanical Engineering
Department

Scanning Electron Microscope Study
of Porous Zinc Battery Electrode Oxidation
after Service-Like Exposures in
Potassium Hydroxide Electrolyte

John Robert Savory
Lieutenant, United States Navy
B.S.M.E., University of Utah, 1968
M.B.A., University of New Haven, 1974

Porous zinc battery electrodes were modeled for study of the oxidation products that are produced during discharge in an alkaline battery. Two- and three-dimensional pore models were used in the study. The electrodes were discharged galvanostatically in electrolyte solutions of potassium hydroxide. Oxidation product morphology was studied with a scanning electron microscope. Two types of oxidation product were observed. One type appeared to form directly on the electrode surface as the result of reaction between the zinc and the electrolyte. This product was dark colored and fairly complete on passivated surfaces. The other type of product was light colored and incomplete. It appeared as a second layer, usually found on top of the darker product. This second type of product appears to precipitate out of solution at passivation. Strong pitting of the zinc base metal accompanies the production of oxidation product.

Mechanical Engineer
June 1977

Thesis Advisor: J. Perkins
Mechanical Engineering
Department

LIFT AND DRAG ANALYSIS ON THE BOW SEAL OF THE SURFACE
EFFECT SHIP TESTCRAFT XR-3

Paul Allen Alfieri
Lieutenant, United States Navy
B.S. United States Naval Academy, 1969

Experimental test runs were conducted to determine the lift and drag forces acting on the bow seal of the captured air bubble testcraft XR-3. These forces were plotted versus velocity for various operating conditions.

Master Of Science In
Aeronautical Engineering
September 1977

Advisor: Donald M. Layton
Department Of
Aeronautics

IMPLEMENTATION OF A SIDELOBE
BLANKING SYSTEM ON THE AN/SPS-12 RADAR

Pedro Pablo Arancibia
Lieutenant, Chilean Navy
M.S.A.E., Naval Postgraduate School, 1977

A sidelobe blanking system can be looked upon as a method for maximizing main-lobe-detection and minimizing sidelobe detection. The system is intended to provide only main-beam signals and thereby producing unambiguous bearing information.

The sidelobe blanking system turns the video off when the signal in an auxiliary antenna is stronger than the signal in the main antenna. Sidelobe blanking is best for pulse interference, and is not suitable for sidelobe noise jamming.

In order to carry out experiments with sidelobe blanking a system was implemented on the AN/UPS-1 and AN/SPS-12 radar sets.

The theory of sidelobe blanking and the design and implementation of the working circuits used is presented, together with pictures of the system and examples of the displayed signals and results.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: D.B. Hoisington
Electrical Engineering
Department

A Study of Spectrum Loading and
Range-Pair Counting Method Effects
on Cumulative Fatigue Damage

John Scott Atkinson, Jr.
Lieutenant, United States Navy
B.S., Randolph-Macon College, 1968

This thesis is a study of cumulative fatigue damage. Variations in cumulative fatigue damage resulting from block loading spectra and randomized cycle loading spectra are investigated. Fatigue damage results show the merit of counting load cycles using the range-pair counting method. Complete FORTRAN computer program documentation enables this thesis to serve as a program user's manual.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: G. H. Lindsey
Aeronautics Dept.

EA-6B Mission Planning Program

Carl Alan Beaudet
Lieutenant, United States Navy
B.S., Purdue University, 1971

The EA-6B Mission Planning Program is designed for use by aircrewmembers deployed on board aircraft carriers. It is an interactive computer program for automated sorting, retrieval, display, and plotting of information. All decision making is done by the aircrewman. The desired goals of this program are increased mission planning efficiency and effectiveness through automation of the clerical tasks of the planning process.

Master of Science in
Aeronautical Engineering
June 1977

Thesis Advisor: H. A. Titus
Electrical Engineering
Department

An Investigation of the Recovery Processes in 7075-T651
Aluminum Responsible for a Stress Decay During Dynamic
Loading Histories

Richard Allen Bentley
Lieutenant, United States Navy
B.S., Northrop Institute of Technology, 1970

This thesis investigates stress relaxation, strain softening, strain hardening and anelastic behavior as potential recovery processes in 7075-T651 aluminum alloy. A series of tests were conducted utilizing uniaxial specimens of 7075-T651 aluminum alloy as a representative aircraft structural material. The tests utilized both single and dual amplitude cyclic loading histories. The recovery mechanism felt to cause the observed stress decay was represented as an exponential decay due to an anelastic strain recovery behavior. With the data obtained, stress decay to stabilization was discussed from the analyst's and the metallurgist's point of view. By having a through knowledge of the recovery process of the structural material, it will enable the structural analyst to develop better fatigue life prediction techniques.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: G. H. Lindsey
Aeronautics
Department

A MICROPROCESSOR CONTROLLED AUTOMATIC DATA LOGGING SYSTEM
(ADL)

John David Casko
Lieutenant, United States Navy
B.S., Kansas University, 1970
M.S., University of West Florida, 1972

This paper describes a digital, microprocessor controlled data acquisition system which optimizes man/machine communications. The processor provides digital feedback control, data collection over any number of channels (up to 8), 32 BIT floating point (7 significant digit) mathematics, and a variety of output formats. The main features of the device are the ability to work directly in any numerical unit desired by the user, mathematical noise filtering and automatic feedback control.

The particular application under consideration is automatic data collection and angle-of-attack control of a subsonic wind-tunnel. Data are presented to demonstrate the data logging capabilities of the system.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: David Caswell
Department of
Aeronautics

Temperature Dependence of Stress Concentration
Factors in Composite Materials

Rene Joseph Chicoine
Lieutenant Commander, United States Navy
B.S., United States Naval Academy, 1967

This thesis reports the results of an experimental investigation of the effects of temperature on the strain concentration factor due to a circular hole in a graphite/epoxy laminated composite plate subjected to tension in a principal material direction. It is shown that for the $[0/+45/0]_s$ laminate tested, the strain concentration factor at 300 degrees Fahrenheit was 20% greater than the room temperature value. This variation is not predicted by classical solutions based on homogeneous orthotropic elasticity.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: M. H. Bank
Aeronautics
Department

A Stability Analysis
of the Proposed
Circulation Control Rotor (CCR) Prototype

John Hendrix Cline
Lieutenant, United States Navy
B.S., United States Naval Academy, 1967

The rotor system of the proposed XH-2/CCR (Circulation Control Rotor) prototype aircraft and the state variable format of the airframe equations of motion are described. Through a study of the eigenvalues and eigenvectors of the basic airframe, the effects of uncoupling and cross-coupling the helicopter equations of motion were analyzed. The control matrix for the CCR was then generated using an applicable pneumatic lead angle for Coanda blowing. Feedback gains, to give the aircraft acceptable flying qualities, were calculated for the Stability Augmentation System (SAS) and finally the aircraft's sensitivity to changes in pneumatic lead angles were studied. The programs used in the above study (capable of handling up to 10×10 matrices) are listed for both the IBM-360 and HP-9830 mini-computer.

Master of Science in
Aeronautical Engineering
March 1977

Thesis Advisor: L. V. Schmidt
Aeronautics
Department

Ballistic Damage of Graphite-Epoxy Plates

George Arthur Eaton
Lieutenant Commander, United States Navy
B. S., United States Naval Academy, 1965

Thin eight-ply laminated graphite-epoxy plates of a representative lay-up $(0/\pm 45^\circ/0)_s$ were damaged ballistically. The extent of damage varied with impact velocity and impactor mass. Visual and microscopic inspection was augmented by x-ray inspection utilizing a radio-opaque dye, to evaluate the extent of damage area. Specimens were then tested in tension to failure, to evaluate the residual strength. Damage "length" (in the 0° direction) varied with impact velocity, the greatest damage resulting from the lower velocities. Damage "width" (in the 90° direction) was not greatly affected by velocity changes. Variation of impactor mass had little effect. Residual strength as measured by tensile tests in the 0° direction was insensitive to damage size effects.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: M. H. Bank
Department of
Aeronautics

Data Acquisition System for Unsteady Aerodynamic Investigation

Cleveland Duane Englehardt
Lieutenant, United States Navy
B.S.E.E., San Jose State College

This paper describes the design and implementation of a micro-processor based high-speed digital data acquisition and reduction system suitable for use in time-varying signal analysis as encountered in unsteady aerodynamic investigation. A microprocessor, flexible disk drive and an analog to digital conversion module were the main components which were integrated to form a 32 channel 12 bit resolution data acquisition system capable of 1000 Hz sampling rate and permanently storing over 250,000 bytes of data on magnetic diskette. Subsequent to the data logging process, the same system was capable of serving as a general purpose computer utilizing the popular BASIC scientific programming language.

The system was qualified for accuracy and functional performance through a series of controlled exercises, and was then applied to an actual investigative task to further determine its utility and value.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: Louis V. Schmidt
Department of Aeronautics

Evaluation of and Operational Procedures
for a Helicopter Simulation System
Utilizing an Integrated Electronic
Instrument Display

William Woodrow Fetzer, Jr.
Lieutenant, United States Navy
B.S., United States Naval Academy, 1970

This report discusses the evaluation and documentation of an integrated electronic instrument display designed to investigate stability and control of a helicopter during precision hover operations. The equations of motion, developed from the Kaman SH-2F Seasprite helicopter, were implemented by a hybrid computer system and displayed by a graphics processor. A complete procedural checklist, including troubleshooting methods, is included in this report. This helicopter simulation system can be used for further research in the development of optimal heads-up display configurations as well as analyses of instability caused by pilot induced oscillations in the hover flight regime.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: Donald M. Layton
Department of
Aeronautics

A Personalized System of Instruction
for Aircraft Performance

Donald Leslie Finch
Lieutenant Commander, United States Navy
B.S.E.E., Purdue University, 1965

A personalized system of instruction utilizing self-contained text material and combining the principle of auto-tutorial instruction with modified self-pacing was developed for a course in aircraft performance. The course material, contained in Appendix A, was applied to the aircraft performance portion (six weeks) of a 12 week course in aircraft performance, control and stability taught to 11 students in the Department of Aeronautics at the Naval Postgraduate School, Monterey, California, during the summer quarter of 1976. The course results, summarized in Appendix B and C, tended to confirm the advantages and substantial value of this instructional method.

In addition, the course material will be utilized by the Office of Continuing Education, Naval Postgraduate School, Monterey, in its program of offering basic background courses off campus in preparation for graduate study.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: Donald M. Layton
Department of
Aeronautics

A STUDY OF PULL-THROUGH FAILURES
of
MECHANICALLY FASTENED JOINTS

Robert N. Freedman
Lieutenant, United States Navy
B.A., Miami University, 1970

The relationship between the bending moment and the through-plane shear force in the vicinity of a mechanical fastener at failure was determined. Experiments were conducted on 4-inch wide flat plate aluminum and graphite-epoxy composite specimens that modeled portions of a wing skin along a spar and along a rib. The composite specimens were either 8-ply or 16-ply balanced layups and were simply supported at two opposing edges and free along the other two edges. The fasteners were pulled normal to the plates, and the maximum force at failure was measured for specimen lengths varying from two to six inches between supports.

The aluminum plates failed by formation of a plastic hinge across their width and showed little sensitivity to through-plane shear. The 8-ply spar specimens cracked across their width and also were relatively insensitive to through-plane shear. However, failures of the rib specimens were confined to a region near the fastener, where the fastener pulled through the plate, and showed much greater sensitivity to through-plane shear.

Two analyses were made; one for small elastic deflections of a thin orthotropic plate, and another for a beam in the elastic range. A mesh generator for a finite element model of the plate around the fastener was also developed for the computer program ADINA.

Master of Science in
Aeronautical Engineering
September 1977

Advisor: R. E. Ball
Department of Aeronautics

An Investigation of Methods for Determining
Notch Root Stress from Far Field Strain
in Notched Flat Plates

John Charles Garske
Lieutenant, United States Navy
B.S., University of Idaho, 1969

Notched flat plate specimens have been tested to examine Neuber's equation and other relations with respect to their application in the determination of stresses in the plastic range at the notch root when the far field strain is known. A nonlinear finite element solution has also been obtained for notched flat plates in plane stress to facilitate an evaluation of it as an analytical method for calculating the behavior of stresses at the notch root.

Experimental results indicate that Neuber's equation is ten to twenty-five percent in error for the notch geometry, strain level and material behavior encountered in the present study. Finite element analysis results were in close agreement with experimental results.

Master of Science in
Aeronautical Engineering
September 1977

Advisor: G. H. Lindsey
Department of
Aeronautics

Wind Tunnel Wall Corrections for Arbitrary
Planforms and Wind Tunnel Cross-Sections

Chester Arthur Heard
Lieutenant, United States Navy
B.A., Southwestern at Memphis, 1969

A computer program was developed to obtain the wind tunnel wall corrections for wing angle of attack, induced drag, and pitching moment in incompressible flow. The vortex lattice method is used for computation of these correction factors. The program can be applied to wind tunnels of arbitrary cross-sectional shape, and wings of any desired planform, subject to the constraint of straight leading and trailing edges.

Master of Science in
Aeronautical Engineering
June 1977

Thesis Advisor: L.V. Schmidt
Aeronautics Department

Design, Construction and Testing
of
a Sub-scale Turbojet Test Cell

Holden Willets Hewlett
Lieutenant Commander, United States Navy
B. S., United States Merchant Marine Academy, 1966

A one-eighth scale turbojet test cell was designed and constructed and initially operated to determine facility characteristics.

Experiments were then conducted to determine engine operating characteristics, inlet velocity profiles and cell pressure profiles for two augmentor-to-engine spacings. Experimental data were compared to existing computer model predictions and showed qualitative agreement. Recommendations are made for facility improvements.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: David W. Netzer
Department of
Aeronautics

Development of Materials For a New Course In the
Fundamentals of Nonnuclear Aircraft Combat Survivability

Karl Otto Krumbholz
Lieutenant, United States Navy
B.S., United States Naval Academy, 1968

This document consists primarily of materials that have been developed for the text "Fundamentals of Aircraft Combat Survivability". This text will be expanded by further research and will ultimately serve as the text for a lecture course entitled "The Fundamentals of Aircraft Weapons Systems Survivability/Vulnerability" to be taught at the Naval Postgraduate School.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: Robert E. Ball
Department of Aeronautics

Initial Unsteady Aerodynamic Measurements
of A Circulation Controlled Airfoil and an
Oscillating Flow Wind Tunnel

Emmett John Lancaster
Lieutenant, United States Navy
B.S., United States Naval Academy, 1970

Steady state results of lift developed by varying the momentum blowing coefficient (C_{μ}) upon a refurbished Circulation Control Rotor (CCR) airfoil section were favorable. This thesis was an experimental investigation to quantitatively evaluate whether the steady state results could be applied by a quasi-steady assumption when a harmonic perturbation of C_{μ} was superimposed upon the steady value. Results suggested an attenuation in the dynamic transfer function of dC_p/dC_{μ} as the oscillating blowing frequency was increased.

The oscillating flow wind tunnel in which the CCR airfoil section was tested exhibited a relationship between pressure and velocity amplitude not in accordance with quasi-steady small perturbation theory. Initial measurements indicated that the RMS C_p perturbation was an order of magnitude greater than the normalized RMS velocity perturbation. To further clarify this situation, investigations were conducted to establish a dynamic frequency response calibration of the wind tunnel. Results confirmed the order of magnitude difference between the RMS C_p and normalized RMS velocity perturbations, indicating that the tunnel flow environment was governed by Euler's equation in its complete form rather than with the simplifications which lead to the quasi-steady small perturbation theory.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: L. V. Schmidt
Department of
Aeronautics

UNSTEADY EFFECTS ON THE
MEASUREMENT OF TOTAL
PRESSURE IN ROTATING MACHINES

Vernon James Larson
Lieutenant, United States Navy
B.S., Oregon State University, 1968

The pressure averaging of different pneumatic impact probes was investigated using a periodic flow generator in order to establish corrections for probe measurements made in a compressor, and to guide in the selection of probe geometries to be used in the compressor. The Kulite transducer probe used as a reference in these measurements was also used, with both continuous and synchronized sampling, to measure the flow from the compressor rotor. It was concluded that the corrections required to be made to the pneumatic impact pressure measurements were negligible at 50% design speed, but might be significant at higher speeds if the probe system volume were not properly sized.

Master of Science in
Aeronautical Engineering
September 1977

Advisor: Raymond P. Shreeve
Department of Aeronautics

DISSECTION AND ANALYSIS OF ~~ELECTROENCEPHALOGRAMS~~ OF
SUBJECTS DOING A SIMULATED PILOT'S TASK

Daniel Floyd Lashbrook
Lieutenant, United States Navy
B.S.M.E., University of Oklahoma, 1970

A method for dissecting and analyzing electroencephalograms for the presence of any distinctive characteristics is presented. Data are presented which strongly indicate the presence of a preferred frequency, in the 70 - 95 Hz range, that is a characteristic of the performance of a simulated aircraft pilot's task. A conclusive test for the presence of wideband noise in the EEG is presented with data to show that wideband noise is a characteristic of myograms. EEGs taken from two closely spaced electrodes located over the motor and premotor areas of the cortex show that tegules in the 70 - 95 Hz band are not simultaneous with the tegules of any other band, except by chance.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: George Marmont
Department of
Electrical Engineering

Generalized Helicopter Rotor Performance Predictions

James William Loiselle
Lieutenant, United States Navy
B.S., United States Naval Academy, 1971

The Generalized Rotor Performance (GRP) program is a computer program designed for calculating forward flight performance of a helicopter rotor system at a specific flight condition. It can be used to evaluate either an articulated or a hingeless single rotor system in forward flight or in a wind-tunnel test. The program was originally designed by the Sikorsky Aircraft Company and purchased by the United States Navy.

The goals of this thesis were (1) to reinvestigate the theory and logic used in the program, (2) to add selected desirable features to the program, (3) to produce a much needed Users' Manual, and (4) to run an analysis comparing the program's calculated results against manufacturer's data. These goals were accomplished and the results of the analysis indicated that the program produces highly accurate results within the normal cruise range of a modern helicopter.

Master of Science in
Aeronautical Engineering
September 1977

Adviser: Louis V. Schmidt
Department of
Aeronautics

Effect of Configuration Variables on Performance of Solid
Fuel Ramjets

Clemens James Mady, Jr.
Lieutenant, United States Navy
B.S., United States Naval Academy, 1970

An experimental investigation into the effect of configuration variables on combustion performance in the solid fuel ramjet was conducted. The effect of air ducting methods on combustion efficiency was found to be dependent not only on the flow rates, momentum and geometry of the system but also on the composition of the solid fuel. High pressures and low air mass fluxes through the fuel grain affect the regression rate by altering the heat transfer mechanism. Some air duct configurations were found to create a favorable environment for combustion pressure oscillations.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: David W. Netzer
Aeronautics
Department

INVESTIGATION OF A LINEAR, TWO-DEGREE-OF-FREEDOM SIMULATION
OF THE XR-3 CAPTURED AIR BUBBLE (CAB) CRAFT IN THE FREQUENCY
DOMAIN

Lewis Frank McIntyre
Lieutenant
Bachelor of Science

A simplified two-degree-of-freedom simulation in heave and pitch of the XR-3 Captured Air Bubble (CAB) testcraft is developed first in a non-linear form and is subsequently linearized about the steady-state operating point. The model is validated against the six-degree-of-freedom XR-3 Loads and Motions program in the time domain; the linear system is then transformed into the frequency domain by complex matrix inversion. A comparison is made between the linear system frequency response predicted by the two-degree-of-freedom model and that of the Loads and Motions program, as well as actual testcraft data, reduced to the frequency domain by a Fast Fourier Transform (FFT) technique. This comparison of frequency response curves highlights a non-linear mode of CAB craft behavior of possible interest to habitability and seaworthiness studies.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: Alex Gerba, Jr.
Department of
Electrical
Engineering

POWER-DENSITY DISTRIBUTION BELOW THE OCEAN SURFACE DUE TO
INCIDENT LASER RADIATION

Michael John Milchanowski
Lieutenant, United States Navy
E.S., United States Naval Academy, 1969
M.S., University of West Florida, 1971

The time-averaged power-density distribution below the ocean surface due to incident laser radiation is examined by means of computer simulation of the geometrical optics involved with the air/sea interface and subsequent ocean penetration by the laser beam. The effects over the entire spectra of incidence angles, wind velocities, wind directions, beam spot sizes and depths of penetration are analyzed.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: D. J. Collins
Department of
Aeronautics

A STATE-OF-THE-ART ASSESSMENT OF AIR DATA SENSORS FOR
NAVAL AIRCRAFT

Robert Dale Neil
Lieutenant, United States Navy Reserve
B.S. Niagara University, 1970

A review of current air data measurement techniques in Naval aircraft was conducted. Future requirements were identified for three classes of aircraft: conventional, fly-by-wire, and V/STOL. A survey of state-of-the-art air data sensors was performed based on information obtained from current literature, correspondence, and personal interviews with major government contractors, government agencies, and private companies. The major areas covered include pressure, airspeed, fiber optics, laser gyros, temperature, and fuel quantity. The basic operation of each system considered was presented and recommendations given based on its present stage of development and potential.

Master Of Science In
Aeronautical Engineering
September 1977

Advisor: Donald M. Layton
Department Of
Aeronautics

Time Integration of Unsteady Transonic Flow
to a Steady State Solution by
the Finite Element Method

Raymond John Nichols Jr.
Lieutenant, United States Navy
B.S., Pennsylvania State University, 1970

A finite element method was applied to the unsteady transonic small disturbance equation and integrated until the solution converged to the steady state for a thin non-lifting airfoil. The method of weighted residuals was used to formulate the finite element equations and Houbolt's method of central differencing in time was used to integrate these equations.

A secondary investigation applied the steady transonic small disturbance equations to a converging-diverging nozzle.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: D. J. Collins
Department of
Aeronautics

Data Reduction for the Unsteady Aerodynamics
on a Circulation Control Airfoil

Billy Murel Pickelsimer
Lieutenant, United States Navy
B.S., Oklahoma State University, 1970

Calculating the lift, drag, and pitching moment coefficients for an airfoil from the static pressure distribution obtained from wind tunnel tests is routine task when steady flow is considered, but it is much more complicated when the airfoil is operating in an unsteady flow field, similar to that experienced by a helicopter rotor blade, produced by an oscillating wind tunnel. A data reduction routine capable of condensing the large numbers of data associated with the unsteady investigation, as well as a numerical integration algorithm for the unsteady aerodynamic coefficients, were developed; however, no unsteady data were collected due to hardware failures. The ability of the program was demonstrated on previously obtained steady and quasi-steady data and sample results were presented.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: Louis V. Schmidt
Aeronautics
Department

A MATHEMATICAL MODEL FOR THE LONGITUDINAL CONTROL SYSTEM
OF THE SPACE SHUTTLE ORBITER

Cole Jon Pierce
Lieutenant Commander
United States Navy
A.B., Knox College, 1963

The analysis of a fly-by-wire longitudinal control system, specifically that of the space shuttle orbiter, was undertaken in order to demonstrate the construction of a mathematical model depicting the relationships between forcing function and response. Each facet of modern control theory, including stability, was developed. Several computer programs were written, which should be of value to the Department of Aeronautics, for the HP9830 computer/plotter; these programs are basic to the study of control theory, demonstrate the importance of the transfer function, the characteristic equation, and the various forms of feedback, and will plot time and frequency (Bode) response graphs given the proper inputs. The Continuous System Modeling Program, version III, and the IBM360 were used to analyze the complex control system installed in the orbiter. The demonstration of the model and its interface with the CSMP program was given, and the efficiency of this procedure was made clear.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: Daniel J. Collins
Department of
Aeronautics

ENERGY MANAGEMENT DISPLAY FOR AIR COMBAT MANEUVERING

Stuart Robinson Powrie
Lieutenant, United States Navy
B. S., United States Naval Academy 1970

A skill and task analysis of air combat maneuvering was performed. This analysis indicated that a device to aid the pilot to maneuver the aircraft to its aerodynamic limits might be useful, but such a device might be ineffective due to a high level of sensory saturation. The concept for design of the project was predicated upon projected use of future displays for fighter aircraft in air combat maneuvering, pilot training and flight safety aspects. The test energy maneuverability display was designed using a microprocessor for dedicated control. The display format was based on color coding various specific power regions and presenting them in the pilot's peripheral vision. An experiment was designed and executed to determine if the pilot could respond to the specific power color codes and maintain performance of critical pilot tasks. An analysis of test variance indicated no significant degradation of pilot performance with the introduction of color coding to the peripheral vision.

Master of Science in
Aeronautical Engineering
March 1977

Advisor: D. M. Layton
Department of
Aeronautics

Design Study of a Centerplate
Mount for Wind Tunnel Models

Robert Wayne Russell
Lieutenant, United States Navy
B.S.A.E., Purdue University, 1971

A three-strut wind-tunnel model support system was being used with an electrical balance in the 3.5 by 5.0 foot Department of Aeronautics low-speed wind tunnel. The traditional method of image systems and alternate inverted mounting for the evaluation of aerodynamic tares was considered impractical for implementation in the small sized tunnel. The design and installation of an alternate model support system using a centerplate mount was accomplished. An aerodynamic evaluation for comparing the two model mounting concepts was performed via experiments with a single calibration wing. Additionally, these experiments were the first operational exercise of a recently developed microprocessor data acquisition system.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: L. V. Schmidt
Aeronautics
Department

Wing Rock as a Lateral-Directional
Aircraft Limit Cycle Oscillation
Induced by Nonlinear Aerodynamics
Occurring at High Angle of Attack

Paul David Young
Major, U.S. Marine Corps
B.S., Chemistry, Oklahoma State University, 1964

Wing rock at high angle of attack is an oscillatory lateral-directional motion phenomenon known to exist in some of today's high performance tactical aircraft. The motion has been consistently characterized as a lightly damped Dutch-Roll oscillation attributable to asymmetric wing stall. However, evidence gathered from wind tunnel simulations and at least one British study indicate that aerodynamic nonlinearities may be the source of wing rock. Regardless of the actual cause of the phenomenon, a study of wing rock has positive ramifications with respect to gaining a clearer understanding of the aerodynamics associated with high angle of attack flight. This report presents the results of an investigation of wing rock which centered on the premise that two distinct nonlinear aerodynamic mechanisms (aerodynamic hysteresis and a cubic nonlinearity in yawing moment) not only can cause wing rock but may drive it to a limit cycle oscillation as well.

Master of Science in
Aeronautical Engineering
June 1977

Advisor: L. V. Schmidt
Department of
Aeronautics

BALLISTIC CHARACTERIZATION OF ULTRA-HIGH CARBON STEEL

William Hayes Goesling
Lieutenant Commander, United States Navy
B.A., University of Montana, 1963

Thermomechanical processing of Ultra-High Carbon Steels (UHCS), containing one to two percent carbon by weight, has led to the development of microstructures consisting of very finely spheroidized cementite particles in a fine grained ferrite matrix. These steels possess a unique combination of mechanical properties: high strength with high toughness, superplasticity at elevated temperatures, and the capacity to be heat treated to high hardness. This unusual combination of characteristics led to a research effort which was directed toward the evaluation of these low-cost, iron-carbon alloy steels as potential armor materials. The evaluation was completed utilizing the methodology of systems engineering.

Ballistic characterization of these steels was conducted employing a modified five-wire ballistic pendulum. A low-cost, highly-accurate, photovoltaic-diode system was designed and constructed to measure pendulum displacements during impact events. Target specimens of UHCS were ballistically tested using 17 grain, 22-caliber fragment-simulating projectiles at 0° obliquity, with current armor materials also tested for comparison. The results of this analysis indicate that UHCS exhibits ballistic characteristics that are cost effective compared to those of present-day armor materials, while possessing superior nonballistic properties.

Master of Science in Applied Science
Master of Science in Management
September 1977

Advisors: T.R. McNelley
M. B. Kline

Emulation
of the
AN/UYK-20
Tactical Data Computer
on the
Burroughs D-machine

Ralph Harry Anzelmo
Captain, United States Marine Corps
B.A., Montclair State College, 1968

Theodore Lawrence Kaye
Lieutenant, United States Navy
B.S.S.E., United States Naval Academy, 1972

A representation of the Univac AN/UYK-20 computer system has been emulated on the Burroughs D Interpreter-Based System. The entire AN/UYK-20 instruction repertoire has been emulated with the exception of the 'math pac' option (floating point arithmetic and cordic functions), clock and interrupt codes, and input/output operation codes. Modular design with extensive documentation has been implemented throughout program development allowing for ease of modification and further extensions to the existing emulation. Emulation and the hardware architecture of the AN/UYK-20 and the Burroughs D-machine, are discussed in conjunction with the AN/UYK-20 itself. Methods of testing and debugging, sample test programs and recommendations for continued design modifications to the emulation are presented.

Master of Science
in Computer Science
March 1977

Advisor: LT Lyle V. Rich, SC, USN
Computer Science Dept.

A SHARED ENVIRONMENT FOR
MICROCOMPUTER SYSTEM DEVELOPMENT

Kenneth J. Brown
Captain, United States Marine Corps
B.A., California State College Fullerton, 1968

David R. Bullock
Lieutenant, United States Navy
B.A., State University of New York College at Oneonta, 1968

A timeshared microcomputer monitor for Intel 8080 microprocessor systems development has been described. Running on the Sycor 440 Clustered Terminal Processing System, the monitor provides a virtual environment composed of a console device, eight floppy disk drives, and an 8080 microprocessor for up to four concurrent users. Virtual floppy disk files on a five megatype movable-head disk provide the systems's primary auxiliary storage medium. Three different levels of access protection are available for these virtual floppy disk images. A command language processor has been included to support on-line modification of the virtual environment. System recovery in the event of a hardware or software failure is also supported by the monitor.

Master of Science in
Computer Science
March, 1977

Advisor: G.M. Raetz
Computer Science
Department

Parallel Processing of Recursive Functions

Franklin Burkhead
Lieutenant Commander, United States Navy
B.S., United States Naval Academy, 1966

Algorithms defined as recursive functions, such as in "pure" LISP, are shown to have structure sufficient to distinguish between processes which must be executed in sequence and processes which may be executed in parallel.

An interpreter program is presented for executing LISP programs and simultaneously computing the number of processors needed at each step of program execution in order to achieve optimum parallel processing. Sample program runs are presented to show speed-up ratios between strictly sequential and optimally parallel executions.

A possible hardware organization for a parallel processing system derived from the interpreter program is presented.

Master of Science in
Computer Science
June 1977

Advisor: G. A. Kildall
Computer Science
Department

A CASE STUDY IN MAN MACHINE CONVERSATIONAL INTERACTION

Robert Dagwell Cloyes Jr.
Lieutenant Commander, United States Navy
B.A., University of California Riverside, 1965

and

Richard Joseph Muller
Major, United States Marine Corps
B.S., United States Naval Academy, 1966

This project studied the currently available interactive graphics devices which may be utilized within an educational environment and examined the human behavior patterns required for effective man/machine conversation. The feasibility of an applicable documentation effort was explored and a user interface for the Naval Postgraduate School Computer Laboratory was developed.

Master of Science in
Computer Science
June 1977

Advisor: George A. Rahe
Computer Science
Department

The development of a CUPOL "Calculator" for
High-performance Bit-slice Microprocessors

Elizabeth K. Conley

Lieutenant, United States Navy

B.A., Manhattanville College, 1971

and

Ronald W. Modes

Lieutenant, United States Navy

B.S., University of Utah, 1971

The design of a CUPOL editor and interpreter is explored which uses simple, straightforward algorithms similar to the approach found in programmable calculators. The algorithms are designed to be implemented using the microinstructions of a high-performance bit-slice microprocessor. A possible machine design using a family of microprogrammable four-bit-slice bipolar circuits is outlined.

Master of Science in

Computer Science

September, 1977

Advisor: Gary A. Kildall

Computer Science

Department

MICRO-COBOL
AN IMPLEMENTATION OF
NAVY STANDARD HYPO-COBOL
FOR A MICROPROCESSOR-BASED COMPUTER SYSTEM

Alan Scott Craig
Captain, United States Marine Corps
B.S., Brigham Young University, May 1971

A compiler for ADPESO standard HYPO-COBOL has been implemented on a microcomputer. The implementation provides nucleus level constructs and file options from the ANSI COBOL package along with the PERFORM UNTIL construct from a higher level to give increased structural control. The language was implemented through a self-hosted compiler and run-time package on an 8080 microcomputer-based system. Both compiler and interpreter can be executed in 12K bytes of user storage.

Master of Science in
Computer Science
March 1977

Advisor: Gary A. Kildall
Computer Science
Department

An Interactive, Incremental Assembly Language Processor
For The INTEL 8080

John L. Cuzzocrea
Lieutenant, United States Navy
B.S., Oklahoma University, 1971

Michael Charles Thomas
Lieutenant, United States Navy
B.S., Oregon State University, 1970

The design and implementation of an interactive incremental assembly system on an INTEL 8080-based microcomputer has been described. Instead of requiring separate editing, assembling and debugging steps, the system allows entry, translation and error checking simultaneously. The implementation is comprised of an integrated set of modules which assemble and execute the source code. The design goals, solutions, and recommendations for further expansion of the system have been presented. The system was implemented in PL/M for use in a diskette-based environment.

Master of Science in
Computer Science
June 1977

Advisor: V. M. Powers
Computer Science
Department

A Program Development System
for the Burroughs D-machine

Thomas Richard Dalton
Captain, United States Marine Corps
B. S., United States Naval Academy, 1971

The notion of a program development system is defined. Design concepts for a program development system and the required primitives are discussed. Guidelines for coordination and evaluation of a program development system as a total system are presented. An implementation and evaluation of a program development system for the Burroughs D-machine is also presented.

Master of Science in
Computer Science
June 1977

Advisor: Gerald L. Barksdale, Jr.
Computer Science
Department

An Adaptation
of the
Hershey Digitized Character Set
For Use In
Computer Graphics and Typesetting

Patrick Michael Doyle
Lieutenant, United States Navy
B.S., United States Naval Academy, 1971

Font definitions of 1377 characters of various styles developed by Allen V. Hershey were used as an initial data base. His character definitions were first put into a form suitable for use by vector graphics display processors, and then these vectors were converted into dot matrix form in a variety of point sizes. This conversion and digitization process was done using the C programming language; the host computer was a PDP-11/50 with the UNIX operating system, and the computerized typesetting was done on a VERSATEC 1200-A printer/plotter.

As a result, a large data base for use in computerized typesetting has been developed. In addition, the computerized typesetting system at the Naval Postgraduate School has been improved and adapted to make use of the large number of fonts now available.

Master of Science in
Computer Science
June 1977

Advisor: Gerald L. Barksdale, Jr.
Computer Science
Department

A SIMULATION MODEL FOR THE
STUDY OF JOB SCHEDULING POLICY

ERIK FIEGL
Kapitaenleutnant, Federal German Navy

A job scheduling simulation model was produced for the purpose of developing an effective Initiator usage policy. While the first part of the study gives a detailed overview of the structure of the OS/MVT Job Management routines the parts thereafter are devoted to describing the simulation model and to an analysis of Naval Postgraduate School Computer Center operational data. A user's manual, a demonstration run with results, and a program listing of the simulation model are included.

Master of Science in
Computer Science
June 1977

Advisor: N.F. Schneidewind
Computer Science
Department

ALGOL-M
AN IMPLEMENTATION OF A
HIGH-LEVEL BLOCK STRUCTURED LANGUAGE
FOR A MICROPROCESSOR-BASED COMPUTER SYSTEM

John P. Flynn
Lieutenant Commander, United States Navy
B.S., United States Naval Academy, 1965

and

Mark S. Moranville
Lieutenant, United States Navy
B.S., Oregon State University, 1972

The design and implementation of the ALGOL-M programming language for use on a microprocessor-based system is described. The implementation is comprised of two subsystems, a compiler which generates code for a hypothetical zero-address machine and a run-time monitor which executes this code. The system was implemented in PL/M to run on an 8080 microcomputer in a diskette-based environment with at least 20K bytes of user storage.

Master of Science in
Computer Science
September 1977

Advisor: Gary A. Kildall
Computer Science
Department

A Study of The P-3C Omega Navigation System

James Joseph Frydrychowicz
Captain, United States Marine Corps
B.S., Northern Illinois University, 1967

This thesis is a study of the Omega navigation system as currently implemented in the P-3C aircraft. The possibility of using a microcomputer to solve the internal processing functions is investigated. Data flow graphs were applied to the velocity and navigation processing function in the Omega system. These graphs assisted in the development of the PL/M code which implements the function. The four PL/M subroutines that were written can compute the velocity and navigation equations in sufficient time and with sufficient accuracy to encourage additional research into a microcomputer implementation of the remaining internal functions of the Omega system.

Master of Science in
Computer Science
June 1977

Advisor: Uno R. Kodres
Computer Science
Department

A Microcomputer Based Generator
of
Recurring Operational Reports

John Bartlett Godley
Lieutenant Commander, United States Naval Reserve
B.S., New Mexico State University, 1964

This thesis proposes a Report Originating System to provide afloat and small commands with the capability of automatic data processing assistance in report generation. The discussed system is completely implementable in small, inexpensive general purpose microcomputer hardware. The principal benefit of the system lies in its ability to prompt the user to solicit the information required to be submitted in the report and to partially analyze the user's responses for correctness of form and content. Such computerized assistance should result in higher report quality and the concomitant reduction of correcting message traffic. The Report Originating System incorporates a line editing capability which lends itself to any text editing process. Thus, frequently modified locally prepared documents such as unit instructions and directives can be originated and updated with this system.

Master of Science in
Computer Science
June 1977

Advisor: Stephen L. Holl
Computer Science
Department